Printing date 04/12/2017 Reviewed on 04/12/2017

1 Identification

· Product identifier

· Trade name: Glass Bright

· Article number: GB-1

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Superior Solutions 3991 Hwy 171

DeRidder, LA 70634

· Information department: (337) 794-1829

· Emergency telephone number:

Chemtrec 1-800-424-9300, CCN 726066 or 1-703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: glutaral propan-2-ol

(Contd. on page 2)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

(Contd. of page 1)

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2

Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 *Health* = *2

Fire = 3

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
67-63-0	propan-2-ol	10-25%	
111-30-8	glutaral	2.5-10%	
68604-71-7	Disodium cocoamphodipropionate	≤ 2.5%	

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

(Contd. of page 2)

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Call a doctor immediately.

A person vomiting while lying on their back should be turned onto their side.

Do not induce vomiting; immediately call for medical help.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed

Allergic reactions

Nausea

Coughing

Gastric or intestinal disorders

Dizziness

Cramp

Breathing difficulty

· Danger

Large doses may result in red blood cell hemolysis.

Danger of convulsion.

· Indication of any immediate medical attention and special treatment needed

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In certain fire conditions, traces of other toxic gases cannot be excluded.

Carbon monoxide (CO)

- · Advice for firefighters
- · Protective equipment:

Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

· Protective Action Criteria for Chemicals	(Contd. of page 3
• PAC-1:	
67-63-0 propan-2-ol	400 ppm
111-30-8 glutaral	0.2 ppm
111-76-2 2-butoxyethanol	60 ppm
· PAC-2:	·
67-63-0 propan-2-ol	2000* ppm
111-30-8 glutaral	1 ppm
111-76-2 2-butoxyethanol	120 ppm
· PAC-3:	·
67-63-0 propan-2-ol	12000** ppm
111-30-8 glutaral	5 ppm
111-76-2 2-butoxyethanol	700 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from foodstuffs.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-63	67-63-0 propan-2-ol			
PEL	Long-term value: 980 mg/m³, 400 ppm			
	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm			
	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI			

(Contd. on page 5)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

(Contd. of page 4)

111-30-8 glutaral

REL Ceiling limit value: 0.8 mg/m³, 0.2 ppm

See Pocket Guide App. C

TLV Ceiling limit value: 0.2 mg/m³, 0.05 ppm DSEN;RSEN; activated or inactivated

· Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Neoprene gloves

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Leather gloves

Strong gloves

(Contd. on page 6)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

· Eye protection:

(Contd. of page 5)



Tightly sealed goggles

	ties
Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear Like alcohol
Odor: Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	8.5 (estimated)
<u>- </u>	o.s (estimatea)
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (180 °F)
Flash point:	13 °C (55 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	25.5 %

(Contd. on page 7)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

		(Contd. of page 6)
VOC content:	25.5 % 255.0 g/l / 2.13 lb/gl	
Solids content: Other information	0.5 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
	111-30-8 glutaral		
Oral	LD50	134 mg/kg (rat)	
Dermal	LD50	2560 mg/kg (rabbit)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
67-63-0 propan-2-ol	3	
111-76-2 2-butoxyethanol	3	
· NTP (National Toxicology Program)		
no ingredient above de minimis level is listed		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

1 1 7		e i	•
14 Iran	sport inf	ormati	On
IT II WIL	ווווו עווטענ	UI III UUI	\boldsymbol{v}

•	UN-N	lumber
---	------	--------

· **DOT, IMDG, IATA** UN2924

· UN proper shipping name

• **DOT** Flammable liquids, corrosive, n.o.s. (Isopropanol, glutaral)

· IMDG, IATA FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), glutaral)

· Transport hazard class(es)

 $\cdot DOT$



· Class 3 Flammable liquids

(Contd. on page 9)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

	(Contd. of page
· Label	3, 8
· IMDG	
· Class	3 Flammable liquids
· Label	3/8
·IATA	
· Class	3 Flammable liquids
· Class · Label	3 (8)
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	
· Danger code (Kemler):	338
· EMS Number:	F- E , S - C
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
$\cdot \textit{Transport/Additional information:}$	
$\cdot DOT$	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
(-2)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUIDS, CORROSIVE, N.O. (ISOPROPANOL, GLUTARAL), 3 (8), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

(Contd. on page 10)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

(Contd. of page 9) 111-76-2 2-butoxyethanol · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 · Chemicals known to cause cancer: None of the substances are listed · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicalsknown to cause reproductive toxicity for males. None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)	
111-76-2 2-butoxyethanol	NL
· TLV (Threshold Limit Value established by ACGIH)	
67-63-0 propan-2-ol	A4
111-30-8 glutaral	A4
111-76-2 2-butoxyethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

glutaral

propan-2-ol

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 11)

Printing date 04/12/2017 Reviewed on 04/12/2017

Trade name: Glass Bright

(Contd. of page 10)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Date of preparation / last revision 04/12/2017 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

 $STOT\,SE\,3\colon Specific\ target\ organ\ toxicity\ (single\ exposure)-Category\ 3$

US