*Printing date 06/22/2017* 

Reviewed on 06/22/2017

# **1** Identification

- · Product identifier
- · Trade name: <u>Tire Shine</u>
- · Article number: SS-Tire
- $\cdot$  Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Superior Solutions 3991 Hwy 171 DeRidder, LA 70634
- · Information department: Product Safety Department
- · Emergency telephone number: ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585

### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling:

Naphtha (petroleum), hydrotreated heavy

· Hazard statements

*Causes skin and eye irritation. May be fatal if swallowed and enters airways.* 

# · Precautionary statements

P280Wear protective gloves.P301+P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P305+P351+P338If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present<br/>and easy to do. Continue rinsing.P321Specific treatment (see on this label).P405Store locked up.P501Dispose of contents/container in accordance with local/regional/national/international<br/>regulations.

(Contd. on page 2)

US

Printing date 06/22/2017

Reviewed on 06/22/2017

(Contd. of page 1)

40-60%

40-60%

#### Trade name: Tire Shine

• Classification system: • NFPA ratings (scale 0 - 4)

Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64742-48-9 Naphtha (petroleum), hydrotreated heavy

63148-62-9 Polydimethyl Siloxane

### **4** First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 06/22/2017

Reviewed on 06/22/2017

(Contd. of page 2)

65 mg/m3

720 mg/m3

4,300 mg/m3

Trade name: Tire Shine

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

63148-62-9 Polydimethyl Siloxane

· PAC-2:

63148-62-9 Polydimethyl Siloxane

· PAC-3:

63148-62-9 Polydimethyl Siloxane

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 4)

<sup>—</sup> US

Printing date 06/22/2017

Reviewed on 06/22/2017

(Contd. of page 3)

Trade name: Tire Shine

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Fluid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	240 °C (464 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	7.0 Vol %	
Vapor pressure at 20 °C (68 °F):	1 hPa (1 mm Hg)	
Density:	Not determined.	

Printing date 06/22/2017

Reviewed on 06/22/2017

Trade name: Tire Shine

		(Contd. of page 4
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
• Partition coefficient (n-octanol/w	pater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

### 64742-48-9 Naphtha (petroleum), hydrotreated heavy

*Oral LD50* >5000 mg/kg (rat)

Dermal LD50 >3000 mg/kg (rab)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

no ingredient above de minimis level is listed

(Contd. on page 6)

US

Printing date 06/22/2017

Reviewed on 06/22/2017

Trade name: Tire Shine

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	-
· UN proper shipping name · DOT, IMDG, IATA	-
· Transport hazard class(es)	
· DOT, IMDG, IATA · Class	_
· Packing group · DOT, IMDG, IATA	-
· Environmental hazards:	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

(Contd. on page 7)

Printing date 06/22/2017

Reviewed on 06/22/2017

Trade name: Tire Shine

(Contd. of page 6)

15 Regul	and a read of the	L'a mara a	4-1
ΓΥΚΡΟΠΙ			
LU HUSHI		Juniu	

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

63148-62-9 Polydimethyl Siloxane

· Proposition 65

· Chemicals known to cause cancer:

None of the substances are listed

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determ	ining components of labeling:
Naphtha (petrol	leum), hydrotreated heavy
• Hazard stateme	nts
Causes skin and	l eye irritation.
May be fatal if s	swallowed and enters airways.
· Precautionary s	statements
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).

(Contd. on page 8)

US

Printing date 06/22/2017

Reviewed on 06/22/2017

(Contd. of page 7)

#### Trade name: Tire Shine

	(Contd. of page 7)
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical sa	fety assessment: A Chemical Safety Assessment has not been carried out.
16 Other info	rmation
	ation is based on our present knowledge. However, this shall not constitute a guarantee for any luct features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Date of preparation / last revision 06/22/2017 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B Asp. Tox. 1: Aspiration hazard – Category 1